

Belgotex NZ BROADLOOM Carpet BPIR Declaration



Designated Building Product: Class 1

Version 1.0 September 2023

Declaration

Belgotex New Zealand has provided this declaration to satisfy the provisions of Building (Building Product Information Requirements) Regulations 2022. See [regulations](#).

Company Details

Name	Belgotex New Zealand Limited
Role	Supplier
NZBN	9429038353000
Address	25 Leslie Hills Drive, Riccarton, Christchurch 8011
Website	www.belgotex.co.nz
Email	info@belgotex.co.nz
Phone	0800-377-753

Product

Broadloom Carpet

Description of Broadloom Carpet

The term broadloom is taken to mean carpets that are woven on a wide loom and are installed wall – to – wall. Belgotex (NZ) Ltd supplies broadloom carpets made from a synthetic fibre pile or a natural wool pile. The pile is woven into a primary backing material of polypropylene or jute which is bound with latex adhesive.

Broadloom carpets are supplied in full rolls of either 3.66m or 4.0m wide. Partial rolls are also available.

When installed a Belgotex (NZ) Ltd broadloom carpet may contribute to G6 (airborne & impact sound) of the building. Compliance with this clause would need to be established as part of the proposed flooring system

Building Code Obligations

When installed Belgotex broadloom carpet meets the requirements of the Building Code clauses detailed below.

Code Clauses	Compliance Pathway	Evidence
B2 (Durability) B2.3.1(c)	Alternative solution	Broadloom Carpet is Manufactured in accordance with ISO9001:2015 or EN 14041 CE Mark, under EN 1307 meeting a minimum 5-year durability requirement.

Belgotex NZ BROADLOOM Carpet BPIR Declaration



C3 (Fire Affecting areas beyond the fire source) C3.4(b)	Acceptable Solution	All products covered by this statement have been tested in accordance with ISO9239-1:2010.
F2 (Hazardous building materials) F2.3.1	Alternative solution	Products are tested to either Green Label Plus (Leed v4.1 EQ Credit Low-emitting materials) <u>or</u> Greentag (Greentag Standard v4.0) <u>or</u> GUT (EN 16516) VOC Emissions <u>or</u> Covered by an EPD

All individual test reports and certifications are available from www.belgotex.co.nz

Scope of use and Limitations

Scope	Limitation
For all building classified uses.	<ul style="list-style-type: none">• Broadloom carpet is for interior use only.• Concrete substrates must have a relative humidity of 75% or less.• Wood based substrates must have a humidity of 16% MC or less when measured with a pin (resistance) test.• Is not suitable for use within 1.5m of Sanitary fixtures or watersplash areas.
For use as a flooring in an access route.	Broadloom carpet is not intended for use in an access route where it is likely to become wet.
In connection with underfloor heating including in-slab piped water heating.	Broadloom carpet is suitable for use with underfloor heating

Conditions of use

Belgotex Broadloom Carpets must be installed by a qualified trades person and in accordance with [FloorNZ's Best Practices guidelines](#) published by FloorNZ, and maintained in accordance with Belgotex New Zealand's [Care and Maintenance](#) guidelines.

Additional Information

For all specification, installation, maintenance and warranty information, and all information supporting Belgotex New Zealand's claims refer to www.belgotex.co.nz

No Belgotex Broadloom Carpets are subject to a ban issued under [Section 26 of the Building Act](#).

Responsible Person

In accordance with Regulation 8, as the responsible person. I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

**Belgotex NZ BROADLOOM Carpet
BPIR Declaration**

Belgotex

Signed for and on behalf of Belgotex New Zealand Limited

Glen Ellis

Product Manager

06/09/2023